

**Form - IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Sr. Juliana D'Cunha Administrator
	(ii) Name of HCF or CBMWTF	:	KURJI HOLY FAMILY HOSPITAL
	(iii) Address for Correspondence	:	P.O. Sadaquat Ashram, Patna 800010, Bihar
	(iv) Address of Facility	:	P.O. Sadaquat Ashram, Patna 800010, Bihar
	(v) Tel. No, Fax. No	:	0612-2262156/2262540/2264117 Fax: 0612 2268374
	(vi) E-mail ID	:	khfhosp@gmail.com
	(vii) URL of Website	:	www.kurjiholyfamilyhospital.com
	(viii) GPS coordinates of HCF or CBMWTF	:	25.6357° N 85.1121° E
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: BMW/52/01/B-309 valid upto 31/7/2022
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto 31/7/2022
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 300
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	-
	(iii) License number and its date of expiry	:	-
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	-
	(ii) No of beds covered by CBMWTF	:	-
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 13517 Red Category : 4503 White: 4482 Blue Category : 4378 General Solid waste: 36000

23 MAY 2022


प्राप्त किया

5		Details of the Storage, treatment, transportation, processing and Disposal Facility			
(i) Details of the on-site storage facility	:	Size : 2 Rooms			
	:	Capacity : 10 x 12 sq ft.			
	:	Provision of on-site storage : (cold storage or any other provision)			
disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or - concrete pit Deep burial pits: Chemical disinfection: Any other treatment			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) Nil			
(iv) No of vehicles used for collection and transportation of biomedical waste	:	One			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Incineration Ash ETP Sludge	Quantity generated 360Kg.	Where disposed treated using complete biological mode and then used as fertilizer for garden	
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	CBWTF Indira Gandhi Institute of Medial Sciences, Sheikhpura, Patna. Service provider Ms. Sangam Mediserve Pvt. Ltd.			
(vii) List of member HCF not handed over bio-medical waste.	:				



6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes Minutes attached
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	2
	(ii) number of personnel trained	75
	(iii) number of personnel trained at the time of induction	60
	(iv) number of personnel not undergone any training so far	7 (Newly joined staff)
	(v) whether standard manual for training is available?	Yes
	(vi) any other information)	
8	Details of the accident occurred during the year	Nil
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	N/A
	Details of Continuous online emission monitoring systems installed	N/A
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	ETP Plant
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes
12	Any other relevant information :	

Certified that the above report is for the period from January 2021 to December 2021

  
Name and Signature of the Head of the Institution

Sr. Juliana D'Cunha  
Administrator

ADMINISTRATOR  
KURJI HOLY FAMILY HOSPITAL  
SADAQUAT ASHRAM  
PATNA-800 010. BIHAR, INDIA

Date: 21/5/2022  
Place: Patna